$\tt CGGACGCGTGGGACCCATACTTGCTGGTCTGATCC{\color{red} ATG}{ATG}CACAAGGCGGGGCTGCTAGGCCTC$ ${\tt TGTGCCCGGGGCTTGGAATTCGGTGCGGATGGCCAGCTCCGGGATGACCCGCCGGGACCCGCT}$ CGCAAATAAGGTGGCCCTGGTAACGGCCTCCACCGACGGGATCGGCTTCGCCATCGCCCGGC GTTTGGCCCAGGACGGGCCCATGTGGTCGTCAGCAGCCGGAAGCAGCAGAATGTGGACCAG $\tt GGCGGAGGACCGGCTGTGGCCACGGCTGTGAAGCTTCATGGAGGTATCGATATCC$ TAGTCTCCAATGCTGCTGTCAACCCTTTCTTTGGAAGCATAATGGATGTCACTGAGGAGGTG ${\tt TGGGACAAGACTCTGGACATTAATGTGAAGGCCCCAGCCCTGATGACAAAGGCAGTGGTGCC}$ AGAAATGGAGAAACGAGGGGGGCTCAGTGGTGATCGTGTCTTCCATAGCAGCCTTCAGTC CATCTCCTGGCTTCAGTCCTTACAATGTCAGTAAAACAGCCTTGCTGGGCCTGACCAAGACC CTGGCCATAGAGCTGGCCCCAAGGAACATTAGGGTGAACTGCCTAGCACCTGGACTTATCAA ${\tt TGCGGATAAGAAGGTTAGGCGAGCCAGAGGATTGTGCTGCTGTGCTCTT}$ ATTCACCCACTGGCCTTTCCCACCTCTGCTCACCTTACTGTTCACCTCATCAAATCAGTTCT GCCCTGTGAAAAGATCCAGCCTTCCCTGCCGTCAAGGTGGCGTCTTACTCGGGATTCCTGCT GTTGTTGTGGCCTTGGGTAAAGGCCTCCCCTGAGAACACAGGACAGGCCTGCTGACAAGGCT GAGTCTACCTTGGCAAAGACCAAGATATTTTTTCCTGGGCCACTGGTGAATCTGAGGGGTGA TGGGAGAGAAGGAACCTGGAGTGGAAGGAGCAGAGTTGCAAATTAACAGCTTGCAAATGAGG

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA35672</pre>

><subunit 1 of 1, 278 aa, 1 stop

><MW: 29537, pI: 8.97, NX(S/T): 1

MHKAGLLGLCARAWNSVRMASSGMTRRDPLANKVALVTASTDGIGFAIARRLAQDGAHVVVS
SRKQQNVDQAVATLQGEGLSVTGTVCHVGKAEDRERLVATAVKLHGGIDILVSNAAVNPFFG
SIMDVTEEVWDKTLDINVKAPALMTKAVVPEMEKRGGGSVVIVSSIAAFSPSPGFSPYNVSK
TALLGLTKTLAIELAPRNIRVNCLAPGLIKTSFSRMLWMDKEKEESMKETLRIRRLGEPEDC
AGIVSFLCSEDASYITGETVVVGGGTPSRL

Important features of the protein:

Signal peptide:

amino acids 1-15

N-glycosylation site.

amino acids 183-186

N-myristoylation sites.

amino acids 43-48, 80-85, 191-196, 213-218, 272-277

Microbodies C-terminal targeting signal.

amino acids 276-278

GCGCCTGAGCTCCGCCTCCGGGCCCGATAGCGGCATCGAGAGCGCCTCCGTCGAGGACCAGGCGGCG $\tt GCGGCTGGAGGAGGAGCCGAGACTTTCTGGCTGCGCTGGAGGACGCC{\color{red} \underline{ATG}} GAGCAGTACAAACTGC$ AGAGCGACCGGCTGCGTGAGCAGCAGGAGGAGATGGTGGAACTGCGGCTGCGGTTAGAGCTGGTGCGG AAGTTGGCTCTGAGCAGAGGGGAGAGCAGGTGACAAATGGCAGGGAGGCTGGAGCTGACT GAGGTGAACAGGCTGGGAAGTGGCTCTTCAGCTGCTTCAGAGGAGGAAGAGGAGGAGGAGGAGCCGCC GGAGTCTGCCAGAGGGAGGGCCCAGAGCTTTGCCTTGAGGAGTTGGATGCAGCCATTCCAGGGTCC AGAGCAGTTGGTGGGAGCAAGGCCCGAGTTCAGGCCCGCCAGGTCCCCCCTGCCACAGCCTCAGAGTG GCGGCTGGCCCAGGCCGAGAAGATCCGGGAGCTGGCTATCAACATCCGCATGAAGGAGGAGCTTA GAGCTGGAGCAGGAGCAGGAGCAGGTGCGGGCCGAGCTGAGTGAAGGCCAGAGGCAGCTGCGGGAGCT $\tt CGAGGGCAAGGAGCTCCAGGATGCTGGCGAGCGGTCTCGGCTCCAGGAGTTCCGCAGGAGGGTCGCTG$ CGGCCCAGAGCCAGGTGCAGGTGCTGAAGGAGAAGAAGCAGGCTACGGAGCGGCTGGTGTCACTGTCG GCCCAGAGTGAGAAGCGACTGCAGGAGCTCGAGCGGAACGTGCAGCTCATGCGGCAGCAGCAGCAGGACA GCTGCAGAGGCGGCTTCGCGAGGAGACGGAGCAGAAGCGGCGCCTGGAGGCAGAAATGAGCAAGCGGC AGCACCGCGTCAAGGAGCTGGAGCTGAAGCATGAGCAACAGCAGAAGATCCTGAAGATTAAGACGGAA GAGATCGCGGCCTTCCAGAGGAAGAGGCGCAGTGGCAGCAACGGCTCTGTGGTCAGCCTGGAACAGCA GCAGAAGATTGAGGAGCAGAAGAAGTGGCTGGACCAGGAGATGGAGAAGGTGCTACAGCAGCGGGGGG AGTGTCCAGCCGGCTGGAGCACCTGGAGAAGGAGCTGTCCGAGAAGAGCGGGCAGCTGCGGCAGGGCA GCGCCCAGAGCCAGCAGCAGATCCGCGGGGAGATCGACAGCCTGCGCCAGGAGAAGGACTCGCTGCTC AAGCAGCGCCTGGAGATCGACGGCAAGCTGAGGCAGGGGAGTCTGCTGTCCCCCGAGGAGGAGCGGAC GCTGTTCCAGTTGGATGAGGCCATCGAGGCCCTGGATGCTGCCATTGAGTATAAGAATGAGGCCATCA CATGCCGCCAGCGGGTGCTTCGGGCCTCAGCCTCGTTGCTGTCCCAGTGCGAGATGAACCTCATGGCC AAGCTCAGCTACCTCATCCTCAGAGACCAGAGCCCTCCTCTGCAAGTATTTTGACAAGGTGGTGAC GCTCCGAGAGGAGCAGCAGCAGCAGCAGCTTCTCGGAACTGGAGATGCAGCTGGAGGAGCAGC AGAGGCTGGTGTACTGGCTGGAGGTGGCCCTGGAGCGCCAGCGCCTGGAGATGGACCGCCAGCTGACC CTGCAGCAGAAGGAGCACGAGCAGAACATGCAGCTGCTCCTGCAGCAGAGTCGAGACCACCTCGGTGA AGGGTTAGCAGACAGCAGGAGGCAGTATGAGGCCCGGATTCAAGCTCTGGAGAAGGAACTGGGCCGTT ACATGTGGATAAACCAGGAACTGAAACAGAAGCTCGGCGGTGTGAACGCTGTAGGCCACAGCAGGGGGT GGGGAGAAGAGGGCCTGTGCTCGGAGGGCAGACAGGCTCCTGGAAATGAAGATGAGCTCCACCTGGC ACCCGAGCTTCTCTGGCTGTCCCCCCTCACTGAGGGGGCCCCCCGCACCCGGGAGGAGACGCGGGACT TGGTCCACGCTCCGTTACCCTTGACCTGGAAACGCTCGAGCCTGTGTGGTGAGGAGCAGGGGTCCCCC GAGGAACTGAGGCAGCGGGAGGCGGCTGAGCCCCTGGTGGGGCGGGTGCTTCCTGTGGGTGAGGCAGG GCTGAAAGGGGCAGCTGCCTGTTTTGCTTCTGTGAAGGGCAGTCCTTACCGCACACCCTAAATCCAGG CCCTCATCTGTACCCTCACTGGGATCAACAAATTTGGGCCATGGCCCAAAAGAACTGGACCCTCATTT AACAAAATAATATGCAAATTCCCACCACTTACTTCCATGAAGCTGTGGTACCCAATTGCCGCCTTGTG TCTTGCTCGAATCTCAGGACAATTCTGGTTTCAGGCGTAAATGGATGTGCTTGTAGTTCAGGGGTTTG GCCAAGAATCATCACGAAAGGGTCGGTGGCAACCAGGTTGTGGTTTAAATGGTCTTATGTATATAGGG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA47465

<subunit 1 of 1, 830 aa, 1 stop</pre>

<MW: 95029, pI: 8.26, NX(S/T): 2

MEQYKLQSDRLREQQEEMVELRLRLELVRPGWGGLRLLNGLPPGSFVPRPHTAPLGGAHAHV
LGMVPPACLPGDEVGSEQRGEQVTNGREAGAELLTEVNRLGSGSSAASEEEEEEEPPRRTL
HLRRNRISNCSQRAGARPGSLPERKGPELCLEELDAAIPGSRAVGGSKARVQARQVPPATAS
EWRLAQAQQKIRELAINIRMKEELIGELVRTGKAAQALNRQHSQRIRELEQEAEQVRAELSE
GQRQLRELEGKELQDAGERSRLQEFRRRVAAAQSQVQVLKEKKQATERLVSLSAQSEKRLQE
LERNVQLMRQQQGQLQRRLREETEQKRRLEAEMSKRQHRVKELELKHEQQQKILKIKTEEIA
AFQRKRRSGSNGSVVSLEQQQKIEEQKKWLDQEMEKVLQQRRALEELGEELHKREAILAKKE
ALMQEKTGLESKRLRSSQALNEDIVRVSSRLEHLEKELSEKSGQLRQGSAQSQQQIRGEIDS
LRQEKDSLLKQRLEIDGKLRQGSLLSPEEERTLFQLDEAIEALDAAIEYKNEAITCRQRVLR
ASASLLSQCEMNLMAKLSYLSSSETRALLCKYFDKVVTLREEQHQQQIAFSELEMQLEEQQR
LVYWLEVALERQRLEMDRQLTLQQKEHEQNMQLLLQQSRDHLGEGLADSRRQYEARIQALEK
ELGRYMWINQELKQKLGGVNAVGHSRGGEKRSLCSEGRQAPGNEDELHLAPELLWLSPLTEG
APRTREETRDLVHAPLPLTWKRSSLCGEEQGSPEELRQREAAEPLVGRVLPVGEAGLPWNFG
PLSKPRRELRRASPGMIDVRKNPL

Important features:

Leucine zipper pattern.

amino acids 557-579, 794-815

N-glycosylation sites.

amino acids 133-136, 383-386

Kinesin related protein Kif-4 Coiled-coil domain:

amino acids 231-672

ATTCTCCTAGAGCATCTTTGGAAGCATGAGGCCACGATGCTGCATCTTGGCTCTTGTCTGCT
GGATAACAGTCTTCCTCCTCCAGTGTTCAAAAGGAACTACAGACGCTCCTGTTGGCTCAGGA
CTGTGGCTGTGCCAGCCGACACCCAGGTGTGGGAACAAGATCTACAACCCTTCAGAGCAGTG
CTGTTATGATGATGCCATCTTATCCTTAAAGGAGACCCGCCGCTGTGGCTCCACCTGCACCT
TCTGGCCCTGCTTTGAGCTCTGCTGTCCCGAGTCTTTTGGCCCCCAGCAGAAGTTTCTTGTG
AAGTTGAGGGTTCTGGGTATGAAGTCTCAGTGTCACTTATCTCCCATCTCCCGGAGCTGTAC
CAGGAACAGGAGGCACGTCCTGTACCCATAAAAAACCCCCAGGCTCCACTGGCAGACGCAGAC
AAGTGACTTCAGAGGGATGGCTCAATGACATAGCTTTGGAGAGGAGCCCAGCTGGGGATGGC
CAGACTTCAGAGGGAAGAATGCCTTCCTGCTTCATCCCCTTTCCAGCTCCCCTTCCCGCTGAG
AGCCACTTTCATCGGCAATAAAATCCCCCACATTTACCATCT

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA57700

><subunit 1 of 1, 125 aa, 1 stop

><MW: 14198, pI: 9.01, NX(S/T): 1

 ${\tt MRPRCCILALVCWITVFLLQCSKGTTDAPVGSGLWLCQPTPRCGNKIYNPSEQCCYDDAILS} \\ {\tt LKETRRCGSTCTFWPCFELCCPESFGPQQKFLVKLRVLGMKSQCHLSPISRSCTRNRRHVLYP}$

Important features:
Signal sequence

amino acids 1-21

N-myristoylation sites.

amino acids 33-39, 70-76

CCCACGCGTCCGCGTCCGGGTGCCACTCGCGCCGCCGCCGCCGCTCCGGGCTTCTCT TTTCCCTCCGACGCGCCACGGCTGCCCAGACATTCCGGCTGCCGGGTCTGGAGAGCTCCCCG AACCCCTCCGCGGAGAGGAGCGAGGCGCCCAGGGTGGCCCCCGGGGCGCGCTTGGTCTCG GAGAAGCGGGGACGAGGCCGGAGGATGAGCGACTGAGGGCGACGCGGGCACTGACGCGAGTT GGGGCCGCGACTACCGCCAGCTGACAGCGCGATGAGCCACTCCCCAGAGACGCCCTAGCCCG CGCCCGCTGCGAGCCCGGCGTCCGGCCCGCGCCCTGCGCTCATGGACGCGGCTCCCGGCTG GCCCGCCGGGACGTGGTAGGGGATGCCCAGCTCCACTGCGATGGCAGTTGGCGCGCTCTCCA GTTCCCTCCTGGTCACCTGCTGCCTGATGGTGGCTCTGTGCAGTCCGAGCATCCCGCTGGAG AAGCTGGCCCAGGCACCAGAGCAGCCGGGCCAGGAGAAGCGTGAGCACGCCACTCGGGACGG CCCGGGGCGGTGAACGAGCTCGGGCGCCCGGCGAGGGACGAGGGCCGCCAGCGGCCGGGACT GGAAGAGCAAGAGCGGCCGTGGGCTCGCCGGCCGTGAGCCGTGGAGCAAGCTGAAGCAGGCC TGGGTCTCCCAGGGCGGGGGCGCCAAGGCCGGGGATCTGCAGGTCCGGCCCCGCGGGGACAC CCCGCAGCCGCAAGCCCTGGCCGCCCCAGGACGCCGATTGGCCCGGAACTCGCGCCCACGCCGAGCCACCGAGGAGTACGTGTACCCGGACTACCGTGGCAAGGGCTGCGTGGACGAG AGCGGCTTCGTGTACGCGATCGGGGAGAAGTTCGCGCCGGGCCCTCGGCCTGCCCGTGCCT GTGCACCGAGGGGGGCCGCTGTGCGCGCAGCCCGAGTGCCCGAGGCTGCACCCGCGCTGCA TCCACGTCGACACGAGCCAGTGCTGCCCGCAGTGCAAGGAGAAGAACTACTGCGAGTTC CGGGGCAAGACCTATCAGACTTTGGAGGAGTTCGTGGTGTCTCCATGCGAGAGGTGTCGCTGTGAAGCCAACGGTGAGGTGCTATGCACAGTGTCAGCGTGTCCCCAGACGGAGTGTGTGGACC CTGTGTACGAGCCTGATCAGTGCTGTCCCATCTGCAAAAATGGTCCAAACTGCTTTGCAGAA ACCGCGGTGATCCCTGCTGGCAGAGAGTGAAGACTGACGAGTGCACCATATGCCACTGTAC TTATGAGGAAGGCACATGGAGAATCGAGCGGCAGGCCATGTGCACGAGACATGAATGCAGGC AAATG**TAG**ACGCTTCCCAGAACACAAACTCTGACTTTTTCTAGAACATTTTACTGATGTGAA CATTCTAGATGACTCTGGGAACTATCAGTCAAAGAAGACTTTTGATGAGGAATAATGGAAAA TTGTTGGTACTTTTCCTTTTCTTGATAACAGTTACTACAACAGAAGGAAATGGATATATTTC TAAGTACACAAAGTACACTATTATATATCAAATGTATTTCTATAATCCCTCCATTAGAGAG CTTATATAAGTGTTTTCTATAGATGCAGATTAAAAATGCTGTGTTGTCAACCGTCAAAAAAA AAAAAAAAAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68818</pre>

><subunit 1 of 1, 325 aa, 1 stop

><MW: 35296, pI: 5.37, NX(S/T): 0

MPSSTAMAVGALSSSLLVTCCLMVALCSPSIPLEKLAQAPEQPGQEKREHATRDGPGRVNEL GRPARDEGGSGRDWKSKSGRGLAGREPWSKLKQAWVSQGGGAKAGDLQVRPRGDTPQAEALA AAAQDAIGPELAPTPEPPEEYVYPDYRGKGCVDESGFVYAIGEKFAPGPSACPCLCTEEGPL CAQPECPRLHPRCIHVDTSQCCPQCKERKNYCEFRGKTYQTLEEFVVSPCERCRCEANGEVL CTVSACPQTECVDPVYEPDQCCPICKNGPNCFAETAVIPAGREVKTDECTICHCTYEEGTWR IERQAMCTRHECRQM

Important features of the protein:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 11-30

Glycosaminoglycan attachment site.

amino acids 80-83

N-myristoylation sites.

amino acids 10-15, 102-107, 103-108

Cell attachment sequence.

amino acids 114-117

EGF-like domain cysteine pattern signature.

amino acids 176-187

 ${\tt CAGCCACAGACGGGTC\underline{ATG}AGCGCGGTATTACTGCTGGCCCTCCTGGGGTTCATCCTCCCACC}$ TGCCAGGAGTGCAGGCGCTGCTCTGCCAGTTTGGGACAGTTCAGCATGTGTGGAAGGTGTCC GACCTACCCCGGCAATGGACCCCTAAGAACACCAGCTGCGACAGCGGCTTGGGGTGCCAGGA CACGTTGATGCTCATTGAGAGCGGACCCCAAGTGAGCCTGGTGCTCTCCAAGGGCTGCACGG AGGCCAAGGACCAGGAGCCCCGCGTCACTGAGCACCGGATGGGCCCCGGCCTCTCCCTGATC TTGGGCCCCACAGCCCCAGCAGACCCAGGATCCTTGAGGTGCCCAGTCTGCTTGTCTATGG AAGGCTGTCTGGAGGGGACAACAGAAGAGATCTGCCCCAAGGGGACCACACACTGTTATGAT CCAGCCAGGTTGCAACCTGCTCAATGGGACACAGGAAATTGGGCCCGTGGGTATGACTGAGA ACTGCAATAGGAAAGATTTTCTGACCTGTCATCGGGGGACCACCATTATGACACACGGAAAC TTGGCTCAAGAACCCACTGATTGGACCACATCGAATACCGAGATGTGCGAGGTGGGGCAGGT GTGTCAGGAGACGCTGCTCATAGATGTAGGACTCACATCAACCCTGGTGGGGACAAAAG GCTGCAGCACTGTTGGGGCTCAAAATTCCCAGAAGACCACCATCCACTCAGCCCCTCCTGGG GTGCTTGTGGCCTCCTATACCCACTTCTGCTCCTCGGACCTGTGCAATAGTGCCAGCAGCAG CAGCGTTCTGCTGAACTCCCTCCTCCTCAAGCTGCCCCTGTCCCAGGAGACCGGCAGTGTC CTACCTGTGTGCAGCCCCTTGGAACCTGTTCAAGTGGCTCCCCCGAATGACCTGCCCCAGG GGCGCCACTCATTGTTATGATGGGTACATTCATCTCTCAGGAGGTGGGCTGTCCACCAAAAT GAGCATTCAGGGCTGCGTGGCCCAACCTTCCAGCTTCTTGTTGAACCACACCAGACAAATCG GGGGCTGAGGGCCTGGAGTCTCTCACTTGGGGGGGTGGGGCTGGCACTGGCCCCAGCGCTGTG $\tt GTGGGGAGTGGTTTGCCCTTCCTGC\underline{TAA}CTCTATTACCCCCACGATTCTTCACCGCTGCTGA$ CCACCCACACTCAACCTCCCTCTGACCTCATAACCTAATGGCCTTGGACACCAGATTCTTTC ACACTGGGGAGAGCCTGGAGCATCCGGACTTGCCCTATGGGAGAGGGGACGCTGGAGGAGTG GCTGCATGTATCTGATAATACAGACCCTGTCCTTTCA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59847

><subunit 1 of 1, 437 aa, 1 stop

><MW: 46363, pI: 6.22, NX(S/T): 3

MSAVLLLALLGFILPLPGVQALLCQFGTVQHVWKVSDLPRQWTPKNTSCDSGLGCQDTLMLI
ESGPQVSLVLSKGCTEAKDQEPRVTEHRMGPGLSLISYTFVCRQEDFCNNLVNSLPLWAPQP
PADPGSLRCPVCLSMEGCLEGTTEEICPKGTTHCYDGLLRLRGGGIFSNLRVQGCMPQPGCN
LLNGTQEIGPVGMTENCNRKDFLTCHRGTTIMTHGNLAQEPTDWTTSNTEMCEVGQVCQETL
LLIDVGLTSTLVGTKGCSTVGAQNSQKTTIHSAPPGVLVASYTHFCSSDLCNSASSSSVLLN
SLPPQAAPVPGDRQCPTCVQPLGTCSSGSPRMTCPRGATHCYDGYIHLSGGGLSTKMSIQGC
VAQPSSFLLNHTRQIGIFSAREKRDVQPPASQHEGGGAEGLESLTWGVGLALAPALWWGVVCPSC

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 243-260

N-glycosylation sites.

amino acids 46-49, 189-192, 382-385

Glycosaminoglycan attachment sites.

amino acids 51-54, 359-362

N-myristoylation sites.

amino acids 54-59, 75-80, 141-146, 154-159, 168-173, 169-174, 198-203, 254-259, 261-266, 269-274, 284-289, 333-338, 347-352, 360-365, 361-366, 388-393, 408-413, 419-424

GCTGCGGCGCTGCTCTCGTCGCTCGCTGCTCTCTAGAGCCGAGGGACCCGGTGGC TGTCGGGCCCCGAGGCTCCGTGGCGGGACCCTGAGCTGCTGGAGGGGACCTGCACCCCGGTG CAGCTGGTCGCCCTCATTCGCCACGGCACCCGCTACCCCACGGTCAAACAGATCCGCAAGCT GAGGCAGCTGCACGGGTTGCTGCAGGCCCGCGGGTCCAGGGATGGCGGGGCTAGTAGTACCG GGGCAGCTAGTAGAGAAGGGACGGCAGGATATGCGACAGCTGGCGTCTGGCCTCGCT ACCGCTGCATGGATAGCAGCGCCCCTTCCTGCAGGGGCTGTGGCAGCACTACCACCCTGGC GAGATTTTTTGATCACTGTGAGAAGTTTTTAACTGAAGTAGAAAAAAATGCTACAGCTCTTT ACTTTGCAAGTGCCAGTAAATGATTTAAATGCAGATTTAATTCAAGTAGCCTTTTTCACCTG TTCATTTGACCTGGCAATTAAAGGTGTTAAATCTCCTTGGTGTGATGTTTTTGACATAGATG ATGCAAAGGTATTAGAATATTTAAATGATCTGAAACAATATTGGAAAAGAGGATATGGGTAT ACTATTAACAGTCGATCCAGCTGCACCTTGTTTCAGGATATCTTTCAGCACTTGGACAAAGC AGTTGAACAGAACAAAGGTCTCAGCCAATTTCTTCTCCAGTCATCCTCCAGTTTGGTCATG CAGAGACTCTTCTCCACTGCTTTCTCTCATGGGCTACTTCAAAGACAAGGAACCCCTAACA GCGTACAATTACAAAAAACAAATGCATCGGAAGTTCCGAAGTGGTCTCATTGTACCTTATGC CTCGAACCTGATATTTGTGCTTTACCACTGTGAAAATGCTAAGACTCCTAAAGAACAATTCC GAGTGCAGATGTTATTAAATGAAAAGGTGTTACCTTTGGCTTACTCACAAGAAACTGTTTCA TTTTATGAAGATCTGAAGAACCACTACAAGGACATCCTTCAGAGTTGTCAAACCAGTGAAGA ATGTGAATTAGCAAGGGCTAACAGTACATCTGATGAACTA ${f TGA}$ GTAACTGAAGAACATTTTT ACAGGAAGCTTTTATATTACTTGAGTATTTCTGTCTTTTCACAGAAAAACATTGGGTTTCTC TCTGGGTTTGGACATGAAATGTAAGAAAAGATTTTTCACTGGAGCAGCTCTCTTAAGGAGAA ACAAATCTATTTAGAGAAACAGCTGGCCCTGCAAATGTTTACAGAAATGAAATTCTTCCTAC TTATATAAGAAATCTCACACTGAGATAGAATTGTGATTTCATAATAACACTTGAAAAGTGCT AGATTGTTCTGCAGTTCTCTTTTTCCTCAGGTAGGACAGCTCTAGCATTTTCTTAATC AGGAATATTGTGGTAAGCTGGGAGTATCACTCTGGAAGAAAGTAACATCTCCAGATGAGAAT TTGAAACAAGAACAGAGTGTTGTAAAAGGACACCTTCACTGAAGCAAGTCGGAAAGTACAA ${\tt TGAAAATAAATATTTTTGGTATTTATTTATGAAATATTTGAACATTTTTTCAATAATTCCTT}$ AAGTCAGATAGTTAGAATCGAAGTTTTTCAAATCCATTGCTTAGCTAACTTTTTCATTCTGT CACTTGGCTTCGATTTTATATTTTCCTATTATATGAAATGTATCTTTTGGTTGTTTGATTT ${\tt TTCTTTCTTTGTAAATAGTTCTGAGTTCTGTCAAATGCCGTGAAAGTATTTGCTATAA}$ TAAAGAAAATTCTTGTGACTTTAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76400</pre>

><subunit 1 of 1, 487 aa, 1 stop

><MW: 55051, pI: 8.14, NX(S/T): 2

MLRAPGCLLRTSVAPAAALAAALLSSLARCSLLEPRDPVASSLSPYFGTKTRYEDVNPVLLS
GPEAPWRDPELLEGTCTPVQLVALIRHGTRYPTVKQIRKLRQLHGLLQARGSRDGGASSTGS
RDLGAALADWPLWYADWMDGQLVEKGRQDMRQLALRLASLFPALFSRENYGRLRLITSSKHR
CMDSSAAFLQGLWQHYHPGLPPPDVADMEFGPPTVNDKLMRFFDHCEKFLTEVEKNATALYH
VEAFKTGPEMQNILKKVAATLQVPVNDLNADLIQVAFFTCSFDLAIKGVKSPWCDVFDIDDA
KVLEYLNDLKQYWKRGYGYTINSRSSCTLFQDIFQHLDKAVEQKQRSQPISSPVILQFGHAE
TLLPLLSLMGYFKDKEPLTAYNYKKQMHRKFRSGLIVPYASNLIFVLYHCENAKTPKEQFRV
QMLLNEKVLPLAYSQETVSFYEDLKNHYKDILQSCQTSEECELARANSTSDEL

Important features:

Signal sequence

amino acids 1-30

N-glycosylation sites.

amino acids 242-246, 481-485

N-myristoylation sites.

amino acids 107-113, 113-119, 117-123, 118-124, 128-134

Endoplasmic reticulum targeting sequence.

amino acids 484-489

TCCGGCTCTGCGCTCGCCTGACTTCTTCCTGCTGCTGCTTTTCAGGGGCTGCCTGATAGGGGCTGTAAATC TCAAATCCAGCAATCGAACCCCAGTGGTACAGGAATTTGAAAGTGTGGAACTGTCTTGCATCATTACGGATTCGC A GACAAGTGACCCCAGGATCGAGTGGAAGAAAATTCAAGATGAACAAACCACATATGTGTTTTTTGACAACAAAA ${\tt ACTCAGCCCTTTATCGCTGAGGTCGTTGCTCGAAATGACCGCAAGGAAATTGATGAGATTGTGATCGAGTTAA}$ ACTGCCAGGAGAGTGAGGGCCACCCCGGCCTCACTACAGCTGGTATCGCAATGATGTACCACTGCCCACGGATT $\tt CCAGAGCCAATCCCAGATTCGCAATTCTTCTTTCCACTTAAACTCTGAAACAGGCACTTTGGTGTTCACTGCTG$ ${f AGATGGAAGTCTATGACCTGAACATTGGCGGAATTATTGGGGGGGTTCTGGTTGTCCTTGCTGTACTGGCCCTGA}$ TCACGTTGGGCATCTGCTGTGCATACAGACGTGGCTACTTCATCAACAATAAACAGGATGGAGAAAGTTACAAGA GGCAGCGAGAGCTGATGCACTCGGACAGAGCTAGACACTCATTCAGAAGCTTTTCGTTTTGGCCAAAGTTGACCA CTACTCTTCTTACTCTAACAAGCCACATGAATAGAAGAATTTTCCTCAAGATGGACCCGGTAAATATAACCACAA GGAAGCGAAACTGGGTGCGTTCACTGAGTTGGGTTCCTAATCTGTTTCTGGCCTGATTCCCGCATGAGTATTAGG ${\tt GTGATCTTAAAGAGTTTGCTCACGTAAACGCCCGTGCTGGGCCCTGTGAAGCCAGCATGTTCACCACTGGTCGTT}$ GAAAAGGCTTCTTACACAGCAGCCTTACTTCATCGGCCCACAGACACCACCGCAGTTTCTTCTTAAAGGCTCTGC TGATCGGTGTTGCAGTGTCCATTGTGGAGAAGCTTTTTGGATCAGCATTTTGTAAAAACAACCAAAATCAGGAAG $\tt GTAAATTGGTTGCTGGAAGAGGGATCTTGCCTGAGGAACCCTGCTTGTCCAACAGGGTGTCAGGATTTAAGGAAA$ ${\tt ACCTTCGTCTTAGGCTAAGTCTGAAATGGTACTGAAATATGCTTTTCTATGGGTCTTGTTTATTATAAAATTT}$ TACATCTAAATTTTTGCTAAGGATGTATTTTGATTATTGAAAAGAAAATTTCTATTTAAACTGTAAATATATTGT TGGAAAATATCAATAATTAAGAGTATTTTACCCAAGGAATCCTCTCATGGAAGTTTACTGTGATGTTCCTTTTCT CACACAAGTTTTAGCCTTTTTCACAAGGGAACTCATACTGTCTACACATCAGACCATAGTTGCTTAGGAAACCTT TAAAAATTCCAGTTAAGCAATGTTGAAATCAGTTTGCATCTCTTCAAAAGAAACCTCTCAGGTTAGCTTTGAACT ${\tt TCTCAGGTGGGCACTGCAGGGACACTGGTGTCTTCCATGTAGCGTCCCAGCTTTGGGCTCCTGTAACAGACCTCT}$ GGAGTGGCGGCCAGTCCAGCCTTTTAAAGAACGTCAGGTGGAGCCAGGTGAAAGGCCTGGCGGGGAGGAAAG TGAAACGCCTGAATCAAAAGCAGTTTTCTAATTTTGACTTTAAATTTTTCATCCGCCGGAGACACTGCTCCCATT TGTGGGGGGACATTAGCAACATCACTCAGAAGCCTGTGTTCTTCAAGAGCAGGTGTTCTCAGCCTCACATGCCCT GCCGTGCTGGACTCAGGACTGAAGTGCTGTAAAGCAAGGAGCTGCTGAGAAGGAGCACTCCACTGTGTGCCTGGA TCTTGGTTGTCATAGTGATAGGGTAGCCTTATTGCCCCCTCTTCTTATACCCTAAAACCTTCTACACTAGTGCCA $\tt CGGAAAAGGAATACTCGTGTATTTAAGATATGAATGTGACTCAAGACTCGAGGCCGATACGAGGCTGTGATTCT$ GCCTTTGGATGGATGTTGCTGTACACAGATGCTACAGACTTGTACTAACACACCGTAATTTGGCATTTGTTTAAC CTCATTTATAAAAGCTTCAAAAAAACCCA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77624</pre>

><subunit 1 of 1, 310 aa, 1 stop

>< MW: 35020, pI: 7.90, NX(S/T): 3

MALRRPPRLRLCARLPDFFLLLLFRGCLIGAVNLKSSNRTPVVQEFESVELSCIITDSQTSD
PRIEWKKIQDEQTTYVFFDNKIQGDLAGRAEILGKTSLKIWNVTRRDSALYRCEVVARNDRK
EIDEIVIELTVQVKPVTPVCRVPKAVPVGKMATLHCQESEGHPRPHYSWYRNDVPLPTDSRA
NPRFRNSSFHLNSETGTLVFTAVHKDDSGQYYCIASNDAGSARCEEQEMEVYDLNIGGIIGG
VLVVLAVLALITLGICCAYRRGYFINNKQDGESYKNPGKPDGVNYIRTDEEGDFRHKSSFVI

Important features of the protein:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 243-263

N-glycosylation sites.

amino acids 104-107, 192-195

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 107-110

Casein kinase II phosphorylation site.

amino acids 106-109, 296-299

Tyrosine kinase phosphorylation site.

amino acids 69-77

N-myristoylation sites.

amino acids 26-31, 215-220, 226-231, 243-248, 244-249, 262-267

 ${\tt CAGGACCAGGTCTTCCTACGCTGGAGCAGCGGGGAGACAGCCACC} \underline{{\tt ATG}} {\tt CACATCCTCGTGGTCCATGCCATGGTG}$ ATCCTGCTGACGCTGGGCCCGCCTCGAGCCGACGACAGCGAGTTCCAGGCGCTGCTGGACATCTGGTTTCCGGAG GAGAAGCCACTGCCCACCGCCTTCCTGGTGGACACATCGGAGGAGGCGCTGCTGCTTCCTGACTGGCTGAAGCTG ${\tt TTCGTGCAGTCGTTTGGCATCCCGTGTCCAGCATGAGCAAACTCCTCCAGTTCCTGGACCAGGCAGTGGCCCAC}$ GACCCCAGACTCTGGAGCAGAACATCATGGACAAGAATTACATGGCCCACCTGGTGGAGGTCCAGCATGAGCGC $\verb|CCCAAACCAAAGAGCAGCCCAGAGCACCCATAGGCCAGGGCCGGATTCGGGTGGGGACCCAGCTCCGGGTGCTG|\\$ GGCCTGAGGACGACCTGGCTGGCATGTTCCTCCAGATTTTCCCGCTCAGCCCGGACCCTCGGTGGCAGAGCTCC GAGGTGCCGGGCATCACGGTGCCTGCCAGGCCCTCGCCACCCTGCTCAGCTCCCCACACGGCGGTGCCCTG GTGATGTCCATGCACCGTAGCCACTTCCTGGCCTGCCCGCTGCTGCGCCAGCTCTGCCAGTACCAGCGCTGTGTG GTGCGAGGGGGCTCCTGCGCCTGGCCGAGGCCCTGGCCTTCCGTCAGGACCTGGAGGTGGTCAGCTCCACCGTC GGGAAGCCGGGTGCGGACGGTGGCAGCCTGGAGGCCGTGCGGCTGGGGCCCTCGTCAGGCCTCCTAGTGGACTGG GGCAAAGGTCAGGCCCAGGTGCCCTCGTTCCGTCCCTACCTCCTGACCCTCTTCACGCATCAGTCCAGCTGGCCC TTCCTCTGGGCCTGCATCCATGTTCCTCGCATCTGGCAGGGGCGGGACCAGCGCACCCCGCAGAAGCGGCGGAG GAGCTGGTGCTGCGGGTCCAGGGCCCGGAGCTCATCAGCCTGGTGGAGCTGATCCTGGCCGAGGCGGAGACGCGG AGCCAGGACGGGGACACAGCCGCCTGCAGCCTCATCCAGGCCCGGCTGCCCCTGCTGCTCAGCTGCTGCTGCTGGG GACGATGAGAGTGTCAGGAAGGTGACGGAGCACCTGTCAGGCTGCATCCAGCAGTGGGGAGACAGCGTGCTGGGA AGGCGCTGCCGAGACCTTCTCCTGCAGCTCTACCTACAGCGGCCGGAGCTGCGGGTGCCCGTGCCTGAGGTCCTA GCGGACACCAGCGACTCCCGGGCGTTGGAGAACCGAGGGGCGGATGCCAGCATGGCCTGCCGGAAGCTGGCGGTG GTGTTCCGCAGCGAGCACCAGGGGGCGCTGTGGGACTGCCTTCTGTCCTTCATCCGCCTGCTGCTGAATTACAGG AAGTCCTCCCGCCATCTGGCTGCCTTCATCAACAAGTTTGTGCAGTTCATCCATAAGTACATTACCTACAATGCC $\tt CCAGCAGCCATCTCCTTCCTGCAGAAGCACGCCGACCCGCTCCACGACCTGTCCTTCGACACAGTGACCTGGTG$ GGCGAGGAGGAGAGCTCAGCCGGCTCCTTGCCCCTGGTCAGCGTCTCCCTGTTCACCCCTCTGACCGCGGCCGAG ${\tt ATGGCCCCTACATGAAACGGCTTTCCCGGGGCCAAACGGTGGAGGATCTGCTGGAGGTTCTGAGTGACATAGACCATGGAGGATCTGCTGAGGAGGATCTGAGTGACATAGACCATGAGAACGGTGGAGGATCTGCTGAGGAGGATCTGAGTGACATAGACCATGAGACATAGACCATGAGAACGGTGGAGGATCTGCTGAGGAGGATCTGAGTGACATAGACCATGAGACATAGACCATGAGAACGGTGGAGGATCTGCTGAGGAGGATCTGAGAGACATAGACCATGAGACATAGACCATGAGAACGGTGGAGGATCTGCTGAGAGGATCTGAGAGACATAGACCATGAGACATAGAACGGTGGAGGATCTGCTGGAGGATCTGAGAGACATAGACCATAGAACAGATGAACAATAGACCATGAGAACAGATGAACAATAGACATAGAACAATAGACATAGAACAGATGAAACAGATGAAACAGATGAAACAGATGAAACAGAATAGAACAATAGAACAATAGAACAATAGAACAATAGAACAATAGAACAATAGAACAATAGAACAGATGAAACAGATGAAACAGATAGAACAATAGAATATAGAATAGAATAGAATAGAATA$ GAGATGTCCCGGCGGAGACCCGAGATCCTGAGCTTCTTCTCGACCAACCTGCAGCGGCTGATGAGCTCGGCCGAG GAGTGTTGCCGCAACCTCGCCTTCAGCCTGGCCCTGCGCTCCATGCAGAACAGCCCCAGCATTGCAGCCGCTTTC TACGCTCTCCTGTGCCAAGAGCACGCGGCTGTGCTGCTCCACCGGGCCTTCCTGGTGGGCATGTACGGCCAGATG ${\tt GACCCCAGCGCGCAGATCTCCGAGGCCCTGAGGATCCTGCATATGGAGGCCGTGATG\underline{TGA}_{\tt GCCTGTGGCAGCCGA}}$

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77631</pre>

><subunit 1 of 1, 1029 aa, 1 stop

><MW: 114213, pI: 6.42, NX(S/T): 0

MHILVVHAMVILLTLGPPRADDSEFQALLDIWFPEEKPLPTAFLVDTSEEALLLPDWLKLRM IRSEVLRLVDAALQDLEPQQLLLFVQSFGIPVSSMSKLLQFLDQAVAHDPQTLEQNIMDKNY MAHLVEVOHERGASGGQTFHSLLTASLPPRRDSTEAPKPKSSPEQPIGQGRIRVGTQLRVLG PEDDLAGMFLQIFPLSPDPRWQSSSPRPVALALQQALGQELARVVQGSPEVPGITVRVLQAL ATLLSSPHGGALVMSMHRSHFLACPLLRQLCQYQRCVPQDTGFSSLFLKVLLQMLQWLDSPG VEGGPLRAQLRMLASQASAGRRLSDVRGGLLRLAEALAFRQDLEVVSSTVRAVIATLRSGEQ CSVEPDLISKVLQGLIEVRSPHLEELLTAFFSATADAASPFPACKPVVVVSSLLLQEEEPLA GGKPGADGGSLEAVRLGPSSGLLVDWLEMLDPEVVSSCPDLQLRLLFSRRKGKGQAQVPSFR PYLLTLFTHQSSWPTLHQCIRVLLGKSREQRFDPSASLDFLWACIHVPRIWQGRDQRTPQKR REELVLRVQGPELISLVELILAEAETRSQDGDTAACSLIQARLPLLLSCCCGDDESVRKVTE HLSGCIQQWGDSVLGRRCRDLLLQLYLQRPELRVPVPEVLLHSEGAASSSVCKLDGLIHRFI TLLADTSDSRALENRGADASMACRKLAVAHPLLLLRHLPMIAALLHGRTHLNFQEFRQQNHL SCFLHVLGLLELLOPHVFRSEHOGALWDCLLSFIRLLLNYRKSSRHLAAFINKFVQFIHKYI TYNAPAAISFLQKHADPLHDLSFDNSDLVMLKSLLAGLSLPSRDDRTDRGLDEEGEEESSAG SLPLVSVSLFTPLTAAEMAPYMKRLSRGOTVEDLLEVLSDIDEMSRRRPEILSFFSTNLQRL MSSAEECCRNLAFSLALRSMQNSPSIAAAFLPTFMYCLGSQDFEVVQTALRNLPEYALLCQE HAAVLLHRAFLVGMYGQMDPSAQISEALRILHMEAVM

Important features:

Signal peptide:

amino acids 1-16

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 154-158, 331-335, 616-620, 785-789, 891-895

N-myristoylation sites.

amino acids 91-97, 136-142, 224-230, 435-441, 439-445, 443-449, 665-671, 698-704

Amidation sites.

amino acids 329-333, 634-638

AATGGCACCTTCCTGACGCTGCTCTTCTGCCTGTGCGCCTTCCTCTCGCTGTC TGCGCGATCGGTTGCACGCAGCTGAGCAGGAGAGCCTCAAGCGCTCCAAGGAGCTCAACCTG TCGCACCTGGGGCCGCCTAACAGAGGACCCCCGATTGAAGCCGTGGAACGGCTCACACCGGC ACGTGCTGCACCTGCCCACCGTCTTCCATCACCTGCCACACCTGCTGGCCAAGGAGAGCAGT CTGCAGCCCGCGTGCGCGTGGGCCAGGGCCGCACCGGAGTGTCGGTGATGGGCATCCC GAGCGTGCGCGCGAGGTGCACTCGTACCTGACTGACACTCTGÇACTCGCTCATCTCCGAGC TACACTTCGGCAGTGACAGAGAACATCAAGGCCTTGTTCCCCACGGAGATCCATTCTGGGCT $\tt CCTGGAGGTCATCTCACCCTCCCCCACTTCTACCCTGACTTCTCCCGCCTCCGAGAGTCCT$ TTGGGGACCCCAAGGAGAGTCAGGTGGAGGACCAAACAGAACCTCGATTACTGCTTCCTC ATGATGTACGCGCAGTCCAAAGGCATCTACTACGTGCAGCTGGAGGATGACATCGTGGCCAA GCCCAACTACCTGAGCACCATGAAGAACTTTGCACTGCAGCAGCCTTCAGAGGACTGGATGA TCCTGGAGTTCTCCCAGCTGGGCTTCATTGGTAAGATGTTCAAGTCGCTGGACCTGAGCCTG ATTGTAGAGTTCATTCTCATGTTCTACCGGGACAAGCCCATCGACTGGCTCCTGGACCATAT TCTGTGGGTGAAAGTCTGCAACCCCGAGAAGGATGCGAAGCACTGTGACCGGCAGAAAGCCA GGCAAGATCCAGAAACTGAAGGACAAAGACTTTGGAAAGCAGGCGCTGCGGAAGGAGCATGT GAACCCGCCAGCAGAGGTGAGCACGAGCCTGAAGACATACCAGCACTTCACCCTGGAGAAAG CCTACCTGCGCGAGGACTTCTTCTGGGCCTTCACCCCTGCCGCGGGGGACTTCATCCGCTTC CGCTTCTTCCAACCTCTAAGACTGGAGCGGTTCTTCTTCCGCAGTGGGAACATCGAGCACCC AGGAGGCCCTGCAGGAGGGCCGCACCCCACCCTCCGGTACCCTCGGAGCCCCGACGGCTAC CTCCAGATCGGCTCCTTCTACAAGGGAGTGGCAGAGGGAGAGGTGGACCCAGCCTTCGGCCC TCTGGAAGCACTGCGCCTCTCGATCCAGACGGACTCCCCTGTGTGGGGTGATTCTGAGCGAGA ${ t TCTTCCTGAAAAAGGCCGAC{ t TAA}{ t GCTGCGGGCTTCTGAGGGTACCCTGTGGCCAGCCCTGAA}$ GCCCACATTTCTGGGGGTGTCGTCACTGCCGTCCCCGGAGGGCCAGATACGGCCCCGCCCAA TGAGGCCCGGAACCGTTCGCACCCGGCCTGCCCCAGTCAGGCCGTTTTAGAAGAGCTTTTAC TTGGGCGCCCCCCCTCTCTGGCGCGAACACTGGAATGCATATACTACTTTATGTGCTGTTT TTTTATTCTTGGATACATTTGATTTTTTCACGTAAGTCCACATATACTTCTATAAGAGCGTG AAAAAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA82307</pre>

><subunit 1 of 1, 548 aa, 1 stop

><MW: 63198, pI: 8.10, NX(S/T): 4

MRLRNGTFLTLLLFCLCAFLSLSWYAALSGQKGDVVDVYQREFLALRDRLHAAEQESLKRSK
ELNLVLDEIKRAVSERQALRDGDGNRTWGRLTEDPRLKPWNGSHRHVLHLPTVFHHLPHLLA
KESSLQPAVRVGQGRTGVSVVMGIPSVRREVHSYLTDTLHSLISELSPQEKEDSVIVVLIAE
TDSQYTSAVTENIKALFPTEIHSGLLEVISPSPHFYPDFSRLRESFGDPKERVRWRTKQNLD
YCFLMMYAQSKGIYYVQLEDDIVAKPNYLSTMKNFALQQPSEDWMILEFSQLGFIGKMFKSL
DLSLIVEFILMFYRDKPIDWLLDHILWVKVCNPEKDAKHCDRQKANLRIRFKPSLFQHVGTH
SSLAGKIQKLKDKDFGKQALRKEHVNPPAEVSTSLKTYQHFTLEKAYLREDFFWAFTPAAGD
FIRFRFFQPLRLERFFFRSGNIEHPEDKLFNTSVEVLPFDNPQSDKEALQEGRTATLRYPRS
PDGYLQIGSFYKGVAEGEVDPAFGPLEALRLSIQTDSPVWVILSEIFLKKAD

Important features:

Signal sequence

amino acids 1-23

N-glycosylation sites.

amino acids 5-9, 87-91, 103-107, 465-469

N-myristoylation sites.

amino acids 6-12, 136-142, 370-376, 509-515